

Application No.: 09/912,564

2

Docket No.: 325772026000

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application.

Listing of Claims:

1 (currently amended). A toner replenishing container for supplying toner to an image forming apparatus comprising:

a container body for storing toner therein;

a cap member attached to a mouth of the container body, the cap member having a toner outlet port and a shutter member for opening/closing the toner outlet port; and

an indication member removably attachable to the cap member to indicate a kind of toner in the container, even with the toner replenishing container detached from the image forming apparatus

wherein the indication member serves as a control member for inhibiting the toner replenishing container from being loaded on a toner supply portion of the image forming apparatus if the indication member does not coincide with a structure of the toner supply portion.

2 (canceled).

3 (original). The toner replenishing container as claimed in Claim 1, wherein the cap member has a plurality of mounting portions permitting the mounting of the indication member.

4 (original). The toner replenishing container as claimed in Claim 3, wherein the plural mounting portions are a plurality of mounting holes.

va-45223

BEST AVAILABLE COPY

Application No.: 09/912,564

3

Docket No.: 325772026000

5 (original). The toner replenishing container as claimed in Claim 4, wherein the indication member is mounted in a predetermined mounting hole according to a type of toner stored in the container body.

6 (original). The toner replenishing container as claimed in Claim 4, wherein a plurality of indication members are mounted in the mounting holes according to a type of toner stored in the container body.

7 (original). The toner replenishing container as claimed in Claim 4, wherein the container body has a fixing portion for fixing the cap member and a counterrotation-preventing projection for preventing the cap member fixed to the fixing portion from rotating in a reverse direction.

8 (original). The toner replenishing container as claimed in Claim 7, wherein the cap member has a first cap member and a second cap member removably engaged with the first cap member.

9 (original). The toner replenishing container as claimed in Claim 8, wherein the first cap member has the toner outlet port, the shutter member, the mounting holes, and an engagement portion for engaging with the fixing portion of the container body.

10 (original). The toner replenishing container as claimed in Claim 9, wherein the fixing portion is formed on an outer surface of the container body whereas the engagement portion is formed on an inner periphery of the first cap member.

11 (original). The toner replenishing container as claimed in Claim 8, wherein

va-45223

**BEST AVAILABLE COPY**

Application No.: 09/912,564

4

Docket No.: 325772026000

the second cap member has a lock extension locked to the counterrotation-preventing projection of the container body.

12 (original). The toner replenishing container as claimed in Claim 11, wherein

the counterrotation-preventing projection is formed on an outer surface of the container body whereas the lock extension is formed on an inner periphery of the second cap member.

13 (original). A toner replenishing container for supplying toner to an image forming apparatus comprising:

a container body for storing toner therein; and

a cap member attached to a mouth of the container body, the cap member comprising a first cap member and a second cap member removably engaged with the first cap member, wherein

the container body has a fixing portion for fixing the cap member and a counterrotation-preventing projection for preventing the cap member fixed to the fixing portion from rotating in a reverse direction; wherein

the first cap member has a toner outlet port, a shutter member for opening/closing the toner outlet port, and an engagement portion for engaging with the fixing portion of the container body; and wherein

the second cap member has an extension locked to the counterrotation-preventing projection of the container body.

14 (original). The toner replenishing container as claimed in Claim 13, wherein

the fixing portion is formed on an outer surface of the container body whereas the engagement portion is formed on an inner periphery of the first cap member.

va-45223

**BEST AVAILABLE COPY**

Application No.: 09/912,564

5

Docket No.: 325772026000

15 (original). The toner replenishing container as claimed in Claim 13, wherein the counterrotation-preventing projection is formed on an outer surface of the container body whereas the lock extension is formed on an inner periphery of the second cap member.

C1  
Cont'd

16 (original). The toner replenishing container as claimed in Claim 13, wherein the first cap member has a plurality of mounting holes to which an indication member is removably attached.

17 (original). The toner replenishing container as claimed in Claim 16, wherein the indication member serves as a control member for determining whether the toner replenishing container may be loaded on a toner supply portion of the image forming apparatus or not.

18 (previously presented). A toner replenishing container for supplying toner to an image forming apparatus comprising:

a container body for storing toner therein, the toner body having a plurality of mounting holes; and

at least one indication member which is removably attached to one of the mounting holes to indicate a kind of toner in the container.

19 (previously presented). A method of producing a toner container for supplying toner to an image forming apparatus, said method comprising:

filling the toner container with toner; and attaching a cap member to the toner container, said cap member having at least one indication member which is inserted into one of a plurality of mounting holes on the cap member to indicate a kind of toner in the container.

va-45223

BEST AVAILABLE COPY

Application No.: 09/912,564

6

Docket No.: 325772026000

C1  
end  
20 (previously presented). A method of producing a atoner container for supplying toner to an image forming apparatus, said method comprising:

filling the toner container with toner; and

✓ inserting at least one indication member into a plurality of mounting holes on the toner container to indicate a kind of toner in the container.

---

BEST AVAILABLE COPY

va-45223